

	検出 下限値	いちじく		ぶどう		ねぎ		なす		ねぎ		日本なし		きゅうり		くり		なす		ねぎ		きゅうり		
		新発田市	残留 基準値	新発田市	残留 基準値	聖籠町	残留 基準値	長岡市	残留 基準値	燕市	残留 基準値	燕市	残留 基準値	田上町	残留 基準値	加茂市	残留 基準値	十日町市	残留 基準値	十日町市	残留 基準値	田上町	残留 基準値	
EPN	0.01	N.D.		N.D.		N.D.	0.1	N.D.		N.D.	0.1	N.D.		N.D.		N.D.		N.D.		N.D.	0.1	N.D.		
アクリナトリン	0.01	N.D.	2	N.D.	2	N.D.	2	N.D.	0.5	N.D.	2	N.D.	0.5	N.D.	0.5	N.D.		N.D.	0.5	N.D.	2	N.D.	0.5	
アセタミプリド	0.01	0.01	1	N.D.	5	N.D.	4.5	N.D.	2	N.D.	4.5	N.D.	2	N.D.	2	N.D.	0.1	N.D.	2	N.D.	4.5	N.D.	2	
アゾキシストロビン	0.01	N.D.	3	N.D.	10	N.D.	10	N.D.	3	N.D.	10	N.D.	2	N.D.	1	N.D.	0.02	N.D.	3	N.D.	10	N.D.	1	
イミダクロプリド	0.01	N.D.	4	N.D.	3	N.D.	0.7	N.D.	2	N.D.	0.7	N.D.	0.7	N.D.	1	N.D.	0.05	N.D.	2	N.D.	0.7	N.D.	1	
エディフェンホス	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		
エトフェンプロックス	0.01	N.D.		N.D.		N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	2	
エトプロホス	0.005	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	0.01	N.D.		N.D.		N.D.		N.D.	0.01	
エトリムホス	0.01	N.D.	0.2	N.D.	0.2	N.D.	0.1	N.D.	0.2	N.D.	0.1	N.D.	0.2	N.D.	0.1	N.D.	0.2	N.D.	0.2	N.D.	0.1	N.D.	0.1	
キナルホス	0.01	N.D.	0.02	N.D.	0.02	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.02	N.D.	0.05	N.D.	0.02	N.D.	0.05	N.D.	0.05	N.D.	0.05	
クレンキシムメチル	0.01	N.D.	20	N.D.	15	N.D.	2	N.D.	3	N.D.	2	0.15	5	N.D.	0.5	N.D.	0.1	N.D.	3	N.D.	2	N.D.	0.5	
クロチアニジン	0.01	N.D.	4	N.D.	5	N.D.	0.7	N.D.	1	N.D.	0.7	N.D.	1	N.D.	2	N.D.	0.02	N.D.	1	0.04	0.7	N.D.	2	
クロルピリホス	0.01	N.D.	1	N.D.	1.0	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.5	N.D.	0.05	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.05	
クロルフェナピル	0.01	N.D.	2	N.D.	5	N.D.	3	N.D.	1	N.D.	3	N.D.	1	0.02	0.5	N.D.		N.D.	1	N.D.	3	N.D.	0.5	
クロルフェンピホス	0.01	N.D.	0.2	N.D.	0.05	N.D.	0.3	N.D.	0.2	N.D.	0.3	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.3	N.D.	0.2	
クロルプロファム	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	
シアノホス	0.01	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.2	N.D.	0.05	N.D.	0.2	N.D.	0.05	N.D.	0.05	N.D.	0.05	
ジエトフェンカルブ	0.01	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	
ジクロシメット	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		
ジクロルボス及びナレド(総和をいう。)	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.2	N.D.	0.2	N.D.	0.1	N.D.	0.1	N.D.	0.2	
シハロトリン	0.01	N.D.	0.5	N.D.	1.0	N.D.	2.0	N.D.	0.5	N.D.	2.0	N.D.	0.4	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	2.0	N.D.	0.5	
シペルメトリン	0.01	N.D.	0.5	N.D.	2.0	N.D.	5.0	N.D.	0.5	N.D.	5.0	N.D.	2.0	N.D.	0.5	N.D.	2.0	N.D.	0.5	N.D.	5.0	N.D.	0.5	
ジメトエート	0.01	N.D.	0.5	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	
ダイアジノン	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	
チアトキサム	0.01	N.D.	2	N.D.	2	N.D.	2	N.D.	0.5	N.D.	2	N.D.	1	N.D.	0.5	N.D.		N.D.	0.5	N.D.	2	N.D.	0.5	
チオメトリン	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.10	N.D.	0.30	N.D.	0.10	N.D.	0.05	N.D.	0.30	N.D.	0.05	N.D.	0.30	N.D.	0.10	N.D.	0.30	
テフルトリン	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	
デルタメトリン及びトラロメトリン(総和をいう。)	0.01	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	
テルブホス	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	
トリクロルホス	0.01	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	1.0	N.D.	0.50	N.D.	0.50	N.D.	1.0	N.D.	0.50	N.D.	1.0	N.D.	0.50	N.D.	1.0	
トリフルミゾール	0.01	N.D.	2.0	N.D.	2.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	2.0	N.D.	1.0	N.D.	2.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	
トリフルラリン	0.005	N.D.	0.05	N.D.	0.05	N.D.	0.1	N.D.	0.05	N.D.	0.1	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.1	N.D.	0.05	
パラチオン	0.01	N.D.	0.05	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.05	N.D.	0.3	N.D.	0.3	N.D.	0.3	
パラチオンメチル	0.01	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.2	
ピフェントリン	0.01	N.D.	0.3	0.03	2	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.05	N.D.	0.5	N.D.	0.5	N.D.	0.5	
ピリミホスメチル	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	3.0	N.D.	1.0	N.D.	1.0	N.D.	2.0	N.D.	0.10	N.D.	3.0	N.D.	1.0	N.D.	2.0	
フェントロチオン	0.01	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.2	
フェンシルホチオン	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		
フェンチオン	0.01	N.D.	1	N.D.	2	N.D.		N.D.	5	N.D.		N.D.	2	N.D.	3	N.D.		N.D.	5	N.D.		N.D.	3	
フェントエート	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	
フェンバレレート	0.005	N.D.	3.0	N.D.	5.0	N.D.	0.50	N.D.	1.0	N.D.	0.50	N.D.	2.0	N.D.	0.20	N.D.	0.20	N.D.	1.0	N.D.	0.50	N.D.	0.20	
フェンピロキシメート	0.01	N.D.	0.5	N.D.	2.0	N.D.	0.02	N.D.	0.5	N.D.	0.02	N.D.	1.0	N.D.	0.5	N.D.	0.02	N.D.	0.5	N.D.	0.02	N.D.	0.5	
フサライド	0.005	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		
ブタミホス	0.01	N.D.		N.D.		N.D.	0.03	N.D.	0.02	N.D.	0.03	N.D.		N.D.	0.02	N.D.		N.D.	0.02	N.D.	0.03	N.D.	0.02	
フルシトリネート	0.005	N.D.	0.05	N.D.	2.0	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.50	N.D.	1.0	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	1.0	
フルフェノクスロン	0.01	N.D.		N.D.	2	N.D.	10	N.D.	2	N.D.	10	N.D.	0.5	N.D.	2	N.D.		N.D.	2	N.D.	10	N.D.	2	
プロシミドン	0.01	N.D.	5	N.D.	5	N.D.	5	N.D.	5	N.D.	5	N.D.	1	N.D.	5	N.D.	0.05	N.D.	5	N.D.	5	N.D.	5	
プロチオホス	0.01	N.D.		N.D.	2.0	N.D.		N.D.		N.D.		N.D.	0.1	N.D.		N.D.	0.1	N.D.		N.D.		N.D.		
ペルメトリン	0.01	N.D.	5.0	N.D.	5.0	N.D.	3.0	N.D.	1.0	N.D.	3.0	N.D.	2.0	N.D.	0.5	N.D.	5.0	N.D.	1.0	N.D.	3.0	N.D.	0.5	
ペンディメタリン	0.01	N.D.	(一律基準)	N.D.	0.1	N.D.	0.2	N.D.	0.05	N.D.	0.2	N.D.	0.1	N.D.		N.D.	0.05	N.D.	0.05	N.D.	0.2	N.D.	0.2	
ボスカリド	0.01	N.D.	1.2	N.D.	10	N.D.	3.0	N.D.	2	N.D.	3.0	0.05	3.0	N.D.	5	N.D.	0.70	N.D.	2	N.D.	3.0	N.D.	5	
マラチオン	0.01	N.D.	2.0	N.D.	8.0	N.D.	8.0	N.D.	0.5	N.D.	8.0	N.D.	0.5	N.D.	0.5	N.D.	8.0	N.D.	0.5	N.D.	8.0	N.D.	0.5	
マイクロブタニル	0.01	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1.0	N.D.	1	N.D.	0.05	N.D.	1	N.D.	1	N.D.	1	
メタラキシル及びメフェノキサム(総和をいう。)	0.01	N.D.		N.D.	1	N.D.	0.2	N.D.	1	N.D.	0.2	N.D.	0.2	N.D.	1	N.D.		N.D.	1	N.D.	0.2	N.D.	1	
メチダチオン	0.01	N.D.	1	N.D.	1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	1	N.D.	0.05	N.D.	0.2	N.D.	0.1	N.D.	0.1	N.D.	0.05	
アルドリノ及びディルドリン(総和をいう。)	0.005		0.07		N.D.		0.05		0.02		0.05		N.D.		N.D.	0.02		0.06		0.02		0.05	N.D.	0.02
エンドリン	0.005		0.01		N.D.		0.01		N.D.		0.01		N.D.		N.D.		0.01		N.D.		0.01		N.D.	
イプロジオン	0.01																							
エトキサゾール	0.01			0.06	0.5																			
クロタロニル	0.01																							
シアゾファミド	0.01																							
ジノテフラン	0.01												0.02	1										
シフルトリン	0.01																							
シフルメトフェン	0.01												0.03	3										
テブコナゾール	0.01			0.21	10																			
ヒラクロストロビン	0.01												0.03	1.5										

(単位:ppm、 N.D.:検出下限値未満)
 * 残留基準値が空欄の農薬は、一律基準(0.01ppm)が適用される。

