

	検出 下限値	いんげん(冷凍食品)		ほうれん草(冷凍食品)		にんじん		ねぎ		さといも		ブロッコリー		柿		ねぎ		さといも		ブロッコリー(冷凍食品)		ほうれん草(冷凍食品)	
		タイ	残留 基準値	中国	残留 基準値	胎内市	残留 基準値	新発田市	残留 基準値	五泉市	残留 基準値	長岡市	残留 基準値	柏崎市	残留 基準値	燕市	残留 基準値	燕市	残留 基準値	タイ	残留 基準値	インドネシ ア	残留 基準値
EPN	0.01	N.D.		N.D.		N.D.		N.D.	0.1	N.D.		N.D.	0.1	N.D.		N.D.	0.1	N.D.		N.D.	0.1	N.D.	
アクリナトリン	0.01	N.D.	0.3	N.D.	2	N.D.		N.D.	2	N.D.		N.D.	2	N.D.	1	N.D.	2	N.D.		N.D.	2	N.D.	2
アセタミプリド	0.01	N.D.	3	N.D.	3	N.D.		N.D.	4.5	N.D.	0.2	N.D.	2	N.D.	1	N.D.	4.5	N.D.	0.2	N.D.	2	N.D.	3
アゾキシストロピン	0.01	N.D.	3	N.D.	30.0	N.D.	1	N.D.	10	N.D.	1	N.D.	5	N.D.	1	N.D.	10	N.D.	1	N.D.	5	N.D.	30.0
イミダクロプリド	0.01	N.D.	3	N.D.	15	N.D.	0.4	N.D.	0.7	N.D.	0.4	N.D.	5	N.D.	1	N.D.	0.7	N.D.	0.4	N.D.	5	N.D.	15
エディフェンホス	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	
エトフェンブロックス	0.01	N.D.	5	N.D.	2	N.D.	0.5	N.D.	2	N.D.	0.1	N.D.	2	N.D.	2	N.D.	2	N.D.	0.1	N.D.	2	N.D.	2
エトプロホス	0.005	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	
エトリムホス	0.01	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.1	N.D.		N.D.	0.2	N.D.	0.2	N.D.	0.1	N.D.		N.D.	0.2	N.D.	0.2
キナルホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.02	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05
クレゾキシムメチル	0.01	N.D.	0.05	N.D.	30	N.D.	0.3	N.D.	2	N.D.	0.1	N.D.	30	N.D.	5	N.D.	2	N.D.	0.1	N.D.	30	N.D.	30
クロチアニジン	0.01	N.D.	0.5	N.D.	3	N.D.	0.02	N.D.	0.7	N.D.	0.05	N.D.	1	N.D.	0.5	N.D.	0.7	N.D.	0.05	N.D.	1	N.D.	3
クロルピリホス	0.01	N.D.	0.2	N.D.	0.01	N.D.	0.5	N.D.	0.2	N.D.	0.01	N.D.	1	N.D.	0.01	N.D.	0.2	N.D.	0.01	N.D.	1	N.D.	0.01
クロルフェナピル	0.01	N.D.		N.D.		N.D.		N.D.	3	N.D.	0.03	N.D.	1	N.D.	1	N.D.	3	N.D.	0.03	N.D.	1	N.D.	
クロルフェンビンホス	0.01	N.D.	0.2	N.D.	0.1	N.D.	0.4	N.D.	0.3	N.D.	0.5	N.D.	0.05	N.D.	0.2	N.D.	0.3	N.D.	0.5	N.D.	0.05	N.D.	0.1
クロルプロファミ	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.		N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.		N.D.	0.05
シアノホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.		N.D.	0.05	N.D.	0.2	N.D.	0.05	N.D.		N.D.	0.05	N.D.	0.05
ジエトフェンカルブ	0.01	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.		N.D.	5.0	N.D.	5.0	N.D.	5.0	N.D.		N.D.	5.0	N.D.	5.0
ジクロシメット	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	
ジクロルボス及びナレド(総和をいう。)	0.01	N.D.	0.2	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1
シハロトリン	0.01	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	2.0	N.D.	0.05	N.D.	0.5	N.D.	0.5	N.D.	2.0	N.D.	0.05	N.D.	0.5	N.D.	0.5
シベルメトリン	0.01	N.D.	0.5	N.D.	2.0	N.D.	0.05	N.D.	5.0	N.D.	0.05	N.D.	1.0	N.D.	2.0	N.D.	5.0	N.D.	0.05	N.D.	1.0	N.D.	2.0
ジメエート	0.01	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	1.0	N.D.	1	N.D.	1	N.D.	1	N.D.	1
ダイアジノン	0.01	N.D.	0.2	N.D.	0.1	N.D.	0.5	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1
チアトキサム	0.01	N.D.	0.3	N.D.	10	N.D.	0.02	N.D.	2	N.D.	0.3	N.D.	2	N.D.	1	N.D.	2	N.D.	0.3	N.D.	2	N.D.	10
チオメト	0.01	N.D.	0.10	N.D.	0.10	N.D.	0.10	N.D.	0.10	N.D.	0.01	N.D.	0.20	N.D.	0.05	N.D.	0.10	N.D.	0.01	N.D.	0.20	N.D.	0.10
テフルトリン	0.01	N.D.		N.D.	0.5	N.D.	0.1	N.D.	0.5	N.D.	0.1	N.D.	0.5	N.D.		N.D.	0.5	N.D.	0.1	N.D.	0.5	N.D.	0.5
デルタメトリン及びトラロメトリン(総和をいう。)	0.01	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.05	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.05	N.D.	0.5	N.D.	0.5
テルブホス	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.05	N.D.	0.005	N.D.	0.005	N.D.	0.005	N.D.	0.05	N.D.	0.005
トリクロルホン	0.01	N.D.	0.10	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.50
トリフルミゾール	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.05	N.D.	1.0	N.D.	2.0	N.D.	1.0	N.D.	0.05	N.D.	1.0	N.D.	1.0
トリフルラリン	0.005	N.D.	0.05	N.D.	0.05	N.D.	1	N.D.	0.1	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.1	N.D.	0.05	N.D.	0.05	N.D.	0.05
パラチオン	0.01	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3
パラチオンメチル	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	1.0	N.D.	0.2	N.D.	1.0
ピフェントリン	0.01	N.D.	0.6	N.D.	0.2	N.D.		N.D.	0.5	N.D.	0.05	N.D.	0.1	N.D.	0.5	N.D.	0.5	N.D.	0.05	N.D.	0.1	N.D.	0.2
ピリミホスメチル	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.05	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.05	N.D.	1.0	N.D.	1.0
フェントロチオン	0.01	N.D.	0.5	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.5	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.5	N.D.	0.2
フェンスルホチオン	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	
フェンチオン	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	5	N.D.		N.D.		N.D.		N.D.		N.D.	
フェントエート	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.05	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.05	N.D.	0.1	N.D.	0.1
フェンバレレート	0.005	N.D.	1.0	N.D.	0.50	N.D.	0.50	N.D.	0.50	N.D.	0.05	N.D.	2.0	N.D.	1.0	N.D.	0.50	N.D.	0.05	N.D.	2.0	N.D.	0.50
フェンピロキシメート	0.01	N.D.	2.0	N.D.	0.5	N.D.	0.02	N.D.	0.02	N.D.	0.02	N.D.	0.02	N.D.	0.5	N.D.	0.02	N.D.	0.02	N.D.	0.02	N.D.	0.5
フサライド	0.005	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	
ブタミホス	0.01	N.D.		N.D.		N.D.	0.03	N.D.	0.03	N.D.	0.02	N.D.	0.02	N.D.		N.D.	0.03	N.D.	0.02	N.D.	0.02	N.D.	
フルシトリネート	0.005	N.D.	0.50	N.D.	0.50	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.20	N.D.	1.0	N.D.	0.05	N.D.	0.05	N.D.	0.20	N.D.	0.50
フルフェノクスロン	0.01	N.D.	1	N.D.	10	N.D.	0.2	N.D.	10	N.D.		N.D.	5	N.D.		N.D.	10	N.D.		N.D.	5	N.D.	10
プロシミドン	0.01	N.D.	1	N.D.	5	N.D.	0.5	N.D.	5	N.D.	0.5	N.D.	5	N.D.	0.5	N.D.	5	N.D.	0.5	N.D.	5	N.D.	5
プロチオホス	0.01	N.D.		N.D.		N.D.		N.D.		N.D.		N.D.	0.2	N.D.	0.2	N.D.		N.D.		N.D.	0.2	N.D.	
ペルメトリン	0.01	N.D.	3.0	N.D.	2.0	N.D.	0.1	N.D.	3.0	N.D.	0.2	N.D.	2.0	N.D.	5.0	N.D.	3.0	N.D.	0.2	N.D.	2.0	N.D.	2.0
ペンディメタリン	0.01	N.D.	0.05	N.D.	(一律基準)	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.05	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	(一律基準)
ボスカリド	0.01	N.D.	1.6	N.D.		N.D.	0.7	N.D.	3.0	N.D.	0.05	N.D.	3.0	N.D.	1	N.D.	3.0	N.D.	0.05	N.D.	3.0	N.D.	
マラチオン	0.01	N.D.	2.0	N.D.	2.0	N.D.	0.5	N.D.	8.0	N.D.	0.5	N.D.	5.0	N.D.	0.5	N.D.	8.0	N.D.	0.5	N.D.	5.0	N.D.	2.0
マイクロブタニル	0.01	N.D.	1	N.D.	1	N.D.	1	N.D.	1	N.D.	(一律基準)	N.D.	(一律基準)	N.D.	1	N.D.	1	N.D.	(一律基準)	N.D.	(一律基準)	N.D.	1
メタラキシル及びメフェノキサム(総和をいう。)	0.01	N.D.	0.2	N.D.	2	N.D.	0.4	N.D.	0.2	N.D.		N.D.	0.5	N.D.		N.D.	0.2	N.D.		N.D.	0.5	N.D.	2
メチダチオン	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.1	N.D.	0.02	N.D.	0.1	N.D.	0.2	N.D.	0.1	N.D.	0.02	N.D.	0.1	N.D.	0.1
アセフェート	0.01		3.0		6				0.1				5.0	N.D.	2.0		0.1			5.0		6	
ヘプタクロル	0.01		0.03		0.03		0.1		0.03		0.03		0.03		0.01		0.03		0.03		0.03		0.03
カルボフラン	0.01																						
キャプタン	0.01												0.01		5								
ジノテフラン	0.01																						
チオジカルブ及びメソミル	0.01	0.01	1																				
フェンプロパトリン	0.01													0.03	2								

(単位:ppm、 N.D.:検出下限値未満)
* 残留基準値が空欄の農薬は、一律基準(0.01ppm)が適用される。

