

	検出下限値	えだまめ		なす		オクラ		メロン		もも		キャベツ		アスパラガス		えだまめ	
		新発田市	残留基準値	新発田市	残留基準値	新発田市	残留基準値	小千谷市	残留基準値	刈羽村	残留基準値	長岡市	残留基準値	長岡市	残留基準値	長岡市	残留基準値
EPN	0.01	N.D.		N.D.		N.D.		N.D.	0.02	N.D.		N.D.	0.1	N.D.		N.D.	
アクリナトリン	0.01	N.D.		N.D.	0.5	N.D.	1	N.D.	0.2	N.D.	0.2	N.D.		N.D.	2	N.D.	
アセタミブリド	0.01	N.D.	3	N.D.	2	N.D.	1	N.D.	0.5	N.D.	2	N.D.	3	N.D.	0.5	N.D.	3
アゾキントロビン	0.01	0.02	5	N.D.	3	N.D.	3	N.D.	1	N.D.	0.05	N.D.	5	N.D.	2	N.D.	5
イミダクロブリド	0.01	N.D.	3	N.D.	2	N.D.	0.7	0.01	0.4	N.D.	0.5	N.D.	0.5	N.D.	0.7	N.D.	3
エディフェンホス	0.01	N.D.		N.D.		N.D.											
エトフェンプロックス	0.01	N.D.	5	N.D.	2	N.D.	5	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	5
エトプロホス	0.005	N.D.		N.D.		N.D.		N.D.	0.02	N.D.		N.D.		N.D.		N.D.	
エトリムホス	0.01	N.D.		N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.1	N.D.	0.2	N.D.	
キナルホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.02	N.D.	0.02	N.D.	0.05	N.D.	0.05	N.D.	0.05
クレソキシムメチル	0.01	N.D.	0.05	N.D.	3	N.D.	2	N.D.	1	N.D.	1	N.D.	2	N.D.	30	N.D.	0.05
クロチアニジン	0.01	N.D.	2	N.D.	1	N.D.	1	N.D.	0.3	N.D.	0.7	N.D.	0.7	N.D.	0.7	N.D.	2
クロルピリホス	0.01	N.D.	0.3	N.D.	0.2	N.D.	0.5	N.D.	0.01	N.D.	1.0	N.D.	0.05	N.D.	5	N.D.	0.3
クロルフェナピル	0.01	N.D.	5	N.D.	1	N.D.	0.7	N.D.		N.D.	0.05	N.D.	1	N.D.	0.5	N.D.	5
クロルフェンビンホス	0.01	N.D.	0.2	N.D.	0.2	N.D.		N.D.	0.1	N.D.	0.05	N.D.	0.2	N.D.	0.1	N.D.	0.2
クロルプロファム	0.01	N.D.	0.05	N.D.	0.05	N.D.		N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05
シアノホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.05	N.D.	0.05
ジエトフェンカルブ	0.01	N.D.	5.0	N.D.	5.0	N.D.	5.0										
ジクロシメント	0.01	N.D.		N.D.		N.D.											
ジクロルボス及びナレド(総和をいう。)	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1										
シハロトリン	0.01	N.D.	1.0	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.4	N.D.	0.5	N.D.	1.0
シペルメトリ	0.01	N.D.	5.0	N.D.	0.5	N.D.	0.2	N.D.	2.0	N.D.	2.0	N.D.	1.0	N.D.	0.5	0.14	5.0
ジメトエート	0.01	N.D.	1	N.D.	0.05	N.D.	1										
ダイアジノン	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1										
チアメトキサム	0.01	N.D.	0.3	N.D.	0.7	N.D.	0.7	N.D.	0.3	N.D.	0.5	N.D.	5	N.D.	0.1	N.D.	0.3
チオメソ	0.01	N.D.	0.10	N.D.	0.30	N.D.	0.10	N.D.	0.05	N.D.	0.05	N.D.	0.10	N.D.	0.10	N.D.	0.10
テフルトリン	0.01	N.D.		N.D.	0.1	N.D.	0.5	N.D.									
デルタメトリン及びトラロメトリン(総和をいう。)	0.01	N.D.	0.5	N.D.	0.5	N.D.	0.5										
テルブホス	0.005	N.D.	0.05	N.D.	0.005	N.D.	0.005										
トリクロルホン	0.01	N.D.	0.50	N.D.	1.0	N.D.	0.50	N.D.	0.50	N.D.	0.20	N.D.	0.50	N.D.	0.50	N.D.	0.50
トリフルミゾール	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	2.0	N.D.	2.0	N.D.	1.0	N.D.	1.0	N.D.	1.0
トリフルラリン	0.005	N.D.	0.05	N.D.	0.1	N.D.	0.1	N.D.	0.05								
パラチオン	0.01	N.D.	0.08	N.D.	0.3	N.D.	0.05	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.3	N.D.	0.08
パラチオンメチル	0.01	N.D.	1.0	N.D.	1.0	N.D.	1.0	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	1.0
ビフェントリン	0.01	N.D.	0.6	N.D.	0.5	N.D.		N.D.	0.2	N.D.	0.03	N.D.	2	N.D.	0.05	N.D.	0.6
ピリミホスマチル	0.01	N.D.	1.0	N.D.	3.0	N.D.	1.0	N.D.	0.10	N.D.	0.10	N.D.	1.0	N.D.	1.0	N.D.	1.0
フェニトロチオン	0.01	N.D.	0.5	N.D.	0.2	N.D.	0.5	N.D.	0.05	N.D.	0.2	N.D.	0.5	N.D.	0.2	N.D.	0.5
フェンスルホチオン	0.01	N.D.		N.D.		N.D.											
フェントエート	0.01	N.D.	0.1	N.D.	0.1	N.D.	0.1										
フェンバレート	0.005	N.D.	1.0	N.D.	1.0	N.D.	0.50	N.D.	0.20	N.D.	5.0	N.D.	3.0	N.D.	0.50	N.D.	1.0
フェンピロキシメート	0.01	N.D.	2.0	N.D.	0.5	N.D.	0.02	N.D.	1.0	N.D.	0.1	N.D.	0.02	N.D.	0.02	N.D.	2.0
フサライト	0.005	N.D.		N.D.		N.D.											
ブタミホス	0.01	N.D.		N.D.	0.02	N.D.		N.D.	0.05	N.D.		N.D.	0.02	N.D.	0.05	N.D.	
フルシリネット	0.005	N.D.	2.0	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.50	N.D.	0.50	N.D.	0.05	N.D.	2.0
フルフェノクスロン	0.01	N.D.	5	N.D.	2	N.D.		N.D.	0.02	N.D.	0.1	N.D.	0.5	N.D.	0.5	N.D.	5
プロシミドン	0.01	N.D.	1	N.D.	5	N.D.	5	N.D.	3	N.D.	3	N.D.	2	N.D.	5	N.D.	1
プロチオホス	0.01	N.D.		N.D.	0.2	N.D.		N.D.									
ペルメトリ	0.01	N.D.	3.0	N.D.	1.0	N.D.	3.0	N.D.	0.1	N.D.	2.0	N.D.	5.0	N.D.	3.0	N.D.	3.0
ベンディメタリン	0.01	N.D.	0.2	N.D.	0.05	N.D.		N.D.		N.D.	0.05	N.D.	0.2	N.D.	0.05	N.D.	0.2
ボスカリド	0.01	N.D.	2.0	N.D.	2	N.D.		N.D.	1.6	N.D.	0.2	N.D.	3.0	N.D.		N.D.	2.0
マラチオン	0.01	N.D.	2.0	N.D.	0.5	N.D.	8.0	N.D.	8.0	N.D.	0.5	N.D.	2.0	N.D.	8.0	N.D.	2.0
ミクロブタニル	0.01	N.D.	1	N.D.		N.D.	1	N.D.	1								
メタラキシル及びメフェノキサム(総和をいう。)	0.01	N.D.	0.2	N.D.													

	検出下限値	キャベツ		トマト		なす		メロン		トマト		なす		きゅうり		えだまめ	
		T津南町	残留基準値	十日町市	残留基準値	十日町市	残留基準値	新潟市	残留基準値	糸魚川市	残留基準値	糸魚川市	残留基準値	糸魚川市	残留基準値	糸魚川市	残留基準値
EPN	0.01	N.D.	0.1	N.D.		N.D.		N.D.	0.02	N.D.		N.D.		N.D.		N.D.	
アクリナトリン	0.01	N.D.		N.D.	0.5	N.D.	0.5	N.D.	0.2	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	
アセタミブリド	0.01	N.D.	3	N.D.	2	N.D.	2	N.D.	0.5	N.D.	2	N.D.	2	N.D.	2	N.D.	3
アゾキシストロビン	0.01	N.D.	5	0.17	3	N.D.	3	N.D.	1	N.D.	3	N.D.	3	N.D.	1	N.D.	5
イミダクロブリド	0.01	N.D.	0.5	N.D.	2	N.D.	2	N.D.	0.4	N.D.	2	N.D.	2	N.D.	1	N.D.	3
エディフェンホス	0.01	N.D.															
エトフェンプロックス	0.01	N.D.	2	N.D.	5												
エトプロホス	0.005	N.D.		N.D.	0.01	N.D.		N.D.	0.02	N.D.	0.01	N.D.		N.D.	0.01	N.D.	
エトリムホス	0.01	N.D.	0.1	N.D.	0.2	N.D.	0.1	N.D.									
キナルホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.02	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05
クレソキシムメチル	0.01	N.D.	2	N.D.	3	N.D.	3	N.D.	1	N.D.	3	N.D.	3	N.D.	0.5	N.D.	0.05
クロチアニジン	0.01	N.D.	0.7	N.D.	3	N.D.	1	N.D.	0.3	N.D.	3	N.D.	1	N.D.	2	N.D.	2
クロルピリホス	0.01	N.D.	0.05	N.D.	0.5	N.D.	0.2	N.D.	0.01	N.D.	0.5	N.D.	0.2	N.D.	0.05	N.D.	0.3
クロルフェナピル	0.01	N.D.	1	N.D.	1	N.D.	1	N.D.		N.D.	1	N.D.	1	N.D.	0.5	N.D.	5
クロルフェンビンホス	0.01	N.D.	0.2	N.D.	0.1	N.D.	0.2	N.D.	0.1	N.D.	0.1	N.D.	0.2	N.D.	0.2	N.D.	0.2
クロルプロファム	0.01	N.D.	0.05														
シアノホス	0.01	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.2	N.D.	0.05	N.D.	0.05	N.D.	0.05	N.D.	0.05
ジエトフェンカルブ	0.01	N.D.	5.0														
ジクロシメント	0.01	N.D.															
ジクロルボス及びナレド(総和をいう。)	0.01	N.D.	0.1	N.D.	0.2	N.D.	0.1										
シハロトリン	0.01	N.D.	0.4	N.D.	0.5	N.D.	1.0										
シペルメトリ	0.01	N.D.	1.0	N.D.	2.0	N.D.	0.5	N.D.	2.0	N.D.	2.0	N.D.	0.5	N.D.	0.5	N.D.	5.0
ジメトエート	0.01	N.D.	1	N.D.	1.0	N.D.	1	N.D.	1	N.D.	1.0	N.D.	1	N.D.	1	N.D.	1
ダイアジノン	0.01	N.D.	0.1														
チアメトキサム	0.01	N.D.	5	N.D.	2	N.D.	0.7	N.D.	0.3	N.D.	2	N.D.	0.7	N.D.	0.5	N.D.	0.3
チオメソ	0.01	N.D.	0.10	N.D.	0.10	N.D.	0.30	N.D.	0.05	N.D.	0.10	N.D.	0.30	N.D.	0.30	N.D.	0.10
テフルトリン	0.01	N.D.	0.1	N.D.													
デルタメトリン及びトラロメトリン(総和をいう。)	0.01	N.D.	0.5														
テルブホス	0.005	N.D.	0.05	N.D.	0.005												
トリクロルホン	0.01	N.D.	0.50	N.D.	0.20	N.D.	1.0	N.D.	0.50	N.D.	0.20	N.D.	1.0	N.D.	1.0	N.D.	0.50
トリフルミゾール	0.01	N.D.	1.0	N.D.	2.0	N.D.	1.0	N.D.	2.0	N.D.	2.0	N.D.	1.0	N.D.	1.0	N.D.	1.0
トリフルラリン	0.005	N.D.	0.1	N.D.	0.1	N.D.	0.05	N.D.	0.05	N.D.	0.1	N.D.	0.05	N.D.	0.05	N.D.	0.05
パラチオン	0.01	N.D.	0.3	N.D.	0.08												
パラチオンメチル	0.01	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	0.2	N.D.	0.2	N.D.	1.0	N.D.	0.2	N.D.	1.0
ビフェントリン	0.01	N.D.	2	N.D.	0.5	N.D.	0.5	N.D.	0.2	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	0.6
ピリミホスマチル	0.01	N.D.	1.0	N.D.	2.0	N.D.	3.0	N.D.	0.10	N.D.	2.0	N.D.	3.0	N.D.	2.0	N.D.	1.0
フェニトロチオン	0.01	N.D.	0.5	N.D.	0.2	N.D.	0.2	N.D.	0.05	N.D.	0.2	N.D.	0.2	N.D.	0.2	N.D.	0.5
フェンスルホチオン	0.01	N.D.		N.D.	0.1	N.D.		N.D.		N.D.	0.1	N.D.		N.D.		N.D.	
フェントエート	0.01	N.D.	0.1														
フェンバレート	0.005	N.D.	3.0	N.D.	1.0	N.D.	1.0	N.D.	0.20	N.D.	1.0	N.D.	1.0	N.D.	0.20	N.D.	1.0
フェンピロキシメート	0.01	N.D.	0.02	N.D.	0.5	N.D.	0.5	N.D.	1.0	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	2.0
フサライト	0.005	N.D.															
ブタミホス	0.01	N.D.	0.02	N.D.	0.02	N.D.	0.02	N.D.	0.05	N.D.	0.02	N.D.	0.02	N.D.	0.02	N.D.	
フルシリネット	0.005	N.D.	0.50	N.D.	0.20	N.D.	0.05	N.D.	0.05	N.D.	0.20	N.D.	0.05	N.D.	1.0	N.D.	2.0
フルフェノクスロン	0.01	N.D.	0.5	N.D.	0.5	N.D.	2	N.D.	0.02	N.D.	0.5	N.D.	2	N.D.	2	N.D.	5
プロシミドン	0.01	N.D.	2	N.D.	5	N.D.	5	N.D.	3	N.D.	5	N.D.	5	N.D.	5	N.D.	1
プロチオホス	0.01	N.D.	0.2	N.D.													
ペルメトリ	0.01	N.D.	5.0	N.D.	1.0	N.D.	1.0	N.D.	0.1	N.D.	1.0	N.D.	1.0	N.D.	0.5	N.D.	3.0
ペンディメタリン	0.01	N.D.	0.2	N.D.	0.05	N.D.	0.2										
ボスカリド	0.01	N.D.	3.0	N.D.	5	N.D.	2	N.D.	1.6	N.D.	5	N.D.	2	N.D.	5	N.D.	2.0
マラチオン	0.01	N.D.	2.0	N.D.	0.5	N.D.	0.5	N.D.	8.0	N.D.	0.5	N.D.	0.5	N.D.	0.5	N.D.	2.0
ミクロブタニル	0.01	N.D.		N.D.	2	N.D.	1	N.D.	1	N.D.	2	N.D.	1	N.D.	1	N.D.	1
メタラキル及びメフェノキサム(総和をいう。)																	